# Pioneer sound.vision.soul

PRO – 1130HD

## **50" HIGH DEFINITION PLASMA TELEVISION**







Media Receiver and Table Top Stand Included

- High Definition XGA Resolution (1,280 x 768p)
- 50" Diagonal / 16:9 Wide-Screen Aspect Ratio
- Brightness: 1,100 cd/m<sup>2</sup>
- Contrast: 4000:1

#### PANEL TECHNOLOGY

- Deep Encased Cell Structure This energy design allows each pixel to deliver a more concentrated beam of light, for truer color and brighter images
- Crystal Emissive Layer panel technology for dynamic color and contrast, extremely black black's and increased brightness
- 1st Surface Pure Color Filter for improved contrast and the most accurate color reproduction. The non-glass filter is bonded directly to the plasma panel reducing light reflection and refraction for a more accurate image

#### **CONVIENENCE FEATURES**

- Separate Media Receiver for Advanced Connectivity and Flexible Set-up. All source products connected directly to Media Receiver with one proprietary digital interface cable to plasma panel.
- Built-in TV Tuners for receiving over-the-air High Definition and Standard Definition Broadcasts.
  - Dual NTSC Tuners and ATSC Tuner
  - Digital Cable Ready (DCR) with CableCARD™ Interface
- TV Guide On Screen Interactive<sup>®</sup> Program Guide for easy navigation of TV program services
- Wide Viewing Angle (160 Degree Horizontal and Vertical)
- Split Screen / Picture in Picture Multi-Window Display Modes for on-screen viewing multiple source at one time
- AV Selection Memory (6 position Std / Dynamic / PURE / Movie / Game / User) & ISF-DAY/ ISF-NIGHT after calibration
- Full Function Preset and Learning Remote Control
- Home Gallery Photo Viewer function, supporting majority of memory media through the use of PC Card Slot on front panel and media adapter card.
- V-Chip Parental Control (Supporting MPAA & TV Parental Guidelines)
- Aspect Ratio Control (5 position Wide / Zoom / Cinema / Full / 4:3) – "Dot by Dot" for PC

#### VIDEO PROCESSING TECHNOLOGY

- Pure Drive II Signal Processing Full Time 10-bit Digital Video Processing, delivers a low noise, high contrast, natural color image
  - New ACE IV (Advanced Continuous Emission) for billions of color reproduction and improved grey-scale rendering in dark picture areas.
  - Active DRE (Dynamic Range Expansion) detail setting
  - Advanced Pure Cinema with 3:3 Pull Down, film-based material on DVD, videotape or even regular TV will match the smooth and natural reproduction you'd see in a theater.
  - Color Temperature Adjustment 5 Settings (High/Mid-High/Mid/Mid-Low/Low), PLUS Advanced Manual Adjustability of RGB High and RGB Low.
  - Color Management System Independent R/Y/G/C/B/M
  - Digital Noise Reduction (4 settings off / high / mid / low)
  - **MPEG Noise Reduction** (4 settings off / high / mid / low)
  - Digital CTI (Color Transient Improver)
  - Natural Resize
  - Natural Enhancer
  - Digital Croma Decoder
- ISF3c Video Calibration system for detailed picture calibration



**PRO – 1130HD** 

# **50" HIGH DEFINITION PLASMA TELEVISION**

#### VERSITILE VIDEO AND AUDIO CONNECTIVITY

Inputs:

- Antenna F Connections x 2 (1-Digital & Analog / 1-Analog)
- HDMI with HDCP x 2
- Component x 3, (2 on rear / 1 on front)
- AV Composite x 3 (2 on rear / 1 on front)
- S-Video x 3 (2 on rear / 1 on front)
- i.LINK x 2 (For use with DVHS)
- D-Sub for PC x 1 (Front)
- SR In x1
- CableCARD<sup>™</sup> Interface (rear)

#### Outputs:

DISCLAIMERS

Association, August 2000

shadowing or burn-in may occur.

flashing or continually illuminated pixels.

- Optical Audio Output x 1
- Subwoofer Output x 1
- Monitor Output x 1 (Composite)

· Specifications and design subject to modification without notice.

• High-Definition Television (HDTV): HDTV refers to a complete

Receiver: Receives ATSC terrestrial digital transmissions and decodes all

ATSCTable 3 video formats • Display Scanning Format: Has active vertical

scanning lines of 720 progressive (720p), 1,080 interlaced (1,080i) or higher

• Aspect Ratio: Capable of displaying a 16:9 image • Audio: Receives and

Displaying the same still images for long periods should be avoided as image

· Plasma Display Systems display images consisting of hundreds of thousands

Plasma Display Systems emit slight amounts of IR (Infrared Emission)

Emission) (such as cordless headphones or cordless microphones)

of minute pixels (light emitting cells), and there is a possibility of inactive,

through luminous discharge technology. This IR (Infrared Emission) is not

harmful to living organisms, but may interfere with the operation of remote

controls for other equipment, or cause static in equipment using IR (Infrared

reproduces, and/or outputs Dolby Digital audio " Consumer Electronics

- SR+ Output x 1

### SOUND TECHNOLOGY

- 13 watt x 2 stereo amplifier with separate bass and treble controls
- 2-Way Stereo Speakers
- SRS / FOCUS / TruBass Surround Sound Audio Processing for a virtual sound TV Experience

### **OTHER**

- Table Top Stand (Supplied)
- 3-Meter Digital Connection Cable (Supplied)
- Wall Bracket, Tilt Wall Bracket (Optional)
- 10-Meter Digital Connection Cable (Optional)
- 30-Meter Fiber Optic Connection Cable (Optional)

#### DIMENSIONS(W x H x D)

• Display: 48.2" x 28.2" x 3.6" • Media Receiver: 16 9/16" x 3 9/16" x 11 13/16"

### WEIGHT

- Display: 70.1 lbs
- Media Receiver: 9.9lbs
- systems) may possibly have image retention, also known as burn-in. product/system with the following minimum performance attributes •
  - Recommended guidelines are as follows:
    - · Do not display static images for long periods (such as still images, fixed images from PC or TV game equipment, and/or fixed images such as time of day indicator or channel logo display).
    - · Do not display content in the 4:3 aspect ratio (black or gray bars on left and right side of content) or letter-box content (black bars above and below of content) for extended periods of time, or use either of these viewing modes repeatedly within a short period of time. This Plasma Display System is equipped with multiple wide-screen viewing modes; use one of these screen modes to fill the entire screen with content.
    - · Displaying dark images after displaying still images for a period of time may cause image retention. In most cases, the image retention can be corrected by displaying bright images for a similar period of time. However, if your Plasma Display System displays still images for additional long periods of time, image retention may be irreparable
    - images coming from AM radios, PCs or video-related products.













- · Plasma Display Systems are made of glass; be sure to secure it from damage from impact
- · Plasma Display Systems, while in use, may generate some functional sounds, for example: fan motor noise, and electrical circuit humming/glass panel buzzing.
- · Plasma Display Systems emit slight amounts of IR (Infrared Emission) through luminous discharge technology. This IR (Infrared Emission) is not harmful to living organisms, but may interfere with the operation of remote controls for other equipment, or cause static in equipment using IR (Infrared Emission) (such as cordless headphones or cordless microphones).
- · The Plasma Display System Media Receiver uses an on-board cooling fan. If the ambient temperature of the Media Receiver becomes high, the speed of the cooling fan increases and it may sound louder than normal during the cooling period.
- · PIONEER, the Pioneer Logo, the Elite logo and PureVision are registered trademarks of Pioneer Corporation.
- CableCARD<sup>TM</sup> is a trademark of Cable Television Laboratories. Inc.
- · \*Dolby and the double-D symbol are registered trademarks of Dolby Laboratories.
- · HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC.
- · i.LINK and the i.LINK logo are trademarks of Sony Corporation.
- SRS, TruBass and FOCUS are trademarks of SRS Labs, Inc.
- · In the United States, TV Guide and other related marks are registered marks of Gemstar-TV Guide International. Inc. and/or one of its affiliates.



· All phosphor-based display systems (Cathode Ray Television Systems, both direct view televisions and projection televisions as well as plasma display

